


## 9.6 Special Gaskets


### Mould 1185

| Article No. | Size                    | Quality                                    | SBG No.   | Price in EUR |
|-------------|-------------------------|--------------------------------------------|-----------|--------------|
| S1185-375EP | LW 375mm (NW 325 x 425) | EPDM, purple (Quality: 128.60)             | 1185/01-2 |              |
| S1185-375NR | LW 375mm (NW 325 x 425) | Natural rubber, dark red (Quality: 230.50) | 1185/02-1 |              |
| S1185-375PE | LW 375mm (NW 325 x 425) | Perbunan (NBR), red (Quality: 429.65)      | 1185/04-1 |              |
| S1185-375VI | LW 375mm (NW 325 x 425) | Viton, brown (Quality: 827.70)             | 1185/08-1 |              |




### Mould 1185/A Zimmerlin Standard

| Article No. | Size                    | Quality                                    | SBG No.     | Price in EUR |
|-------------|-------------------------|--------------------------------------------|-------------|--------------|
| 102 0EP     | LW 380mm (NW 325 x 425) | EPDM, purple (Quality: 128.60)             | 1185/01-2/A |              |
| 102 000     | LW 380mm (NW 325 x 425) | Natural rubber, dark red (Quality: 230.50) | 1185/02-1/A |              |
| 102 0PE     | LW 380mm (NW 325 x 425) | Perbunan (NBR), red (Quality: 429.65)      | 1185/04-1/A |              |
| 102 0SI     | LW 380mm (NW 325 x 425) | Silicone, light red (Quality: 736.50)      | 1185/07-1/A |              |
| 102 0VI     | LW 380mm (NW 325 x 425) | Viton, brown (Quality: 827.70)             | 1185/08-1/A |              |



### Mould 1349

| Article No. | Size              | Quality                                    | SBG No.   | Price in EUR |
|-------------|-------------------|--------------------------------------------|-----------|--------------|
| S1349-295EP | LW 295mm (NW 340) | EPDM, purple (Quality: 128.60)             | 1349/01-1 |              |
| S1349-295NR | LW 295mm (NW 340) | Natural rubber, dark red (Quality: 230.50) | 1349/02-1 |              |



**zimmerlin**  
EDELSTAHL-TECHNIK

\*Price and delivery time on request, minimum order quantity 25 pieces




Zimmerlin GmbH  
Edelstahl-Technik  
Frohmattenstr. 19  
D-79268 Bötzingen

Tel. +49(0)7663-6088-0  
Fax +49(0)7663-6088-88  
info@zimmerlin.de  
www.zimmerlin.de




Stand: Juni 2015




**uld 1423**

| Article No. | Size                     | Quality                                    | SBG No.   | Price in EUR |
|-------------|--------------------------|--------------------------------------------|-----------|--------------|
| S1423EP     | LW 155 mm (NW 155 x 199) | EPDM, purple (Quality: 128.60)             | 1423/01-1 |              |
| S1423NR     | LW 155 mm (NW 155 x 199) | Natural Rubber, dark red (Quality: 230.50) | 1423/02-1 |              |
| S1423PE     | LW 155 mm (NW 155 x 199) | Perbunan (NBR), red (Quality: 429.65)      | 1423/04-1 |              |



## Mould 1524

| Article No.  | Size                          | Quality                                    | SBG No.   | Price in EUR |
|--------------|-------------------------------|--------------------------------------------|-----------|--------------|
| S1524-345EP4 | LW 345mm (Schlitzbreite 4mm)  | EPDM, purple (Quality: 128.60)             | 1524/01-1 |              |
| S1524-345NR4 | LW 345mm (Schlitzbreite 4mm)  | Natural Rubber, dark red (Quality: 230.50) | 1524/02-1 |              |
| S1524-345PE4 | LW 345mm (Schlitzbreite 4mm)  | Perbunan (NBR), red (Quality: 429.65)      | 1524/04-1 |              |
| S1524-345SI4 | LW 345mm (Schlitzbreite 4 mm) | Silicone light red (Quality: 736.50)       | 1524/07-1 |              |
| S1524-345VI4 | LW 345mm (Schlitzbreite 4mm)  | Viton brown (Quality: 827.70)              | 1524/08-1 |              |



## Mould 1524/A

| Article No.  | Size                         | Quality                                    | SBG No.     | Price in EUR |
|--------------|------------------------------|--------------------------------------------|-------------|--------------|
| S1524-345EP6 | LW 345mm (Schlitzbreite 6mm) | EPDM, purple (Quality: 128.60)             | 1524/01-1/A |              |
| S1524-345NR6 | LW 345mm (Schlitzbreite 6mm) | Natural Rubber, dark red (Quality: 230.50) | 1524/02-1/A |              |
| S1524-345PE6 | LW 345mm (Schlitzbreite 6mm) | Perbunan (NBR), red (Quality: 429.65)      | 1524/04-1/A |              |

\*Price and delivery time on request, minimum order quantity 25 pieces



Stand: Juni 2015

Tel. +49(0)7663-6088-0  
Fax +49(0)7663-6088-88  
info@zimmerlin.de  
www.zimmerlin.de


**Zimmerlin GmbH**  
Edelstahl-Technik  
Frohmatenstr. 19  
D-79268 Bötzingen



## 9.6 Special Gaskets


### Mould 1582

| Article No. | Size                    | Quality                                    | SBG No.   | Price in EUR |
|-------------|-------------------------|--------------------------------------------|-----------|--------------|
| S1582-400EP | LW 400mm (NW 350 x 450) | EPDM, purple (Quality: 128.60)             | 1582/01-2 |              |
| S1582-400NR | LW 400mm (NW 350 x 450) | Natural Rubber, dark red (Quality: 230.50) | 1582/02-1 |              |
| S1582-400PE | LW 400mm (NW 350 x 450) | Perbunan (NBR), red (Quality: 429.65)      | 1582/04-1 |              |
| S1582-395SI | LW 395mm (NW 350 x 450) | Silicone, red (Quality: 736.50)            | 1582/07-2 |              |
| S1582-400VI | LW 400mm (NW 350 x 450) | Viton brown (Quality: 827.70)              | 1582/08-1 |              |




### Mould 1694

| Article No. | Size                     | Quality                                    | SBG No.   | Price in EUR |
|-------------|--------------------------|--------------------------------------------|-----------|--------------|
| S1694-345EP | LW 345 mm (NW 300 x 400) | EPDM, purple (Quality: 128.60)             | 1694/01-2 |              |
| S1694-345NR | LW 345 mm (NW 300 x 400) | Natural Rubber, dark red (Quality: 230.50) | 1694/02-2 |              |
| S1694-345PE | LW 345 mm (NW 300 x 400) | Perbunan (NBR), red (Quality: 429.65)      | 1694/04-1 |              |
| S1694-345SI | LW 345 mm (NW 300 x 400) | Silicone, red (Quality: 736.50)            | 1694/07-1 |              |
| S1694-345VI | LW 345 mm (NW 300 x 400) | Viton brown (Quality: 827.70)              | 1694/08-1 |              |




### Mould 1855

| Article No. | Size               | Quality                               | SBG No.   | Price in EUR |
|-------------|--------------------|---------------------------------------|-----------|--------------|
| S1855-190EP | LW 190 mm (NW 240) | EPDM, purple (Quality: 128.60)        | 1855/01-1 |              |
| S1855-190PE | LW 190 mm (NW 240) | Perbunan (NBR), red (Quality: 429.65) | 1855/04-1 |              |



### Mould 1913

| Article No. | Size      | Quality                                    | SBG No.   | Price in EUR |
|-------------|-----------|--------------------------------------------|-----------|--------------|
| S1913-345NR | LW 345 mm | Natural Rubber, dark red (Quality: 230.50) | 1913/02-1 |              |
| S1913-345PE | LW 345 mm | Perbunan (NBR), red (Quality: 429.65)      | 1913/04-1 |              |



**zimmerlin**  
EDELSTAHL-TECHNIK

\*Price and delivery time on request, minimum order quantity 25 pieces




Zimmerlin GmbH  
Edelstahl-Technik  
Frohmattenstr. 19  
D-79268 Bötzingen

Tel. +49(0)7663-6088-0  
Fax +49(0)7663-6088-88  
info@zimmerlin.de  
www.zimmerlin.de




Stand: Juni 2015

## Mould 5019




| Article No.    | Size                        | Quality                                    | SBG No.   | Price in EUR |
|----------------|-----------------------------|--------------------------------------------|-----------|--------------|
| S5019-400EP6,5 | LW 400mm (Schlitzbr. 6,5mm) | EPDM, purple (Quality: 128.60              | 5019/01-1 |              |
| S5019-400NR6,5 | LW 400mm (Schlitzbr. 6,5mm) | Natural Rubber, dark red (Quality: 230.50) | 5019/02-1 |              |
| S5019-400PE6,5 | LW 400mm (Schlitzbr. 6,5mm) | Perbunan (NBR), red (Quality: 429.65)      | 5019/04-1 |              |

## Mould 5019/A



| Article No.    | Size                        | Quality                                    | SBG No.     | Price in EUR |
|----------------|-----------------------------|--------------------------------------------|-------------|--------------|
| S5019-400EP3,5 | LW 400mm (Schlitzbr. 3,5mm) | EPDM, purple (Quality: 128.60)             | 5019/01-1/A |              |
| S5019-400NR3,5 | LW 400mm (Schlitzbr. 3,5mm) | Natural Rubber, dark red (Quality: 230.50) | 5019/02-1/A |              |
| S5019-400PE3,5 | LW 400mm (Schlitzbr. 3,5mm) | Perbunan (NBR), red (Quality: 429.65)      | 5019/04-1/A |              |
| S5019-400SI3,5 | LW 400mm (Schlitzbr. 3,5mm) | Silicon, red (Quality: 736.50)             | 5019/07-1/A |              |

## Mould 5204



| Article No. | Size     | Quality                                    | SBG No.   | Price in EUR |
|-------------|----------|--------------------------------------------|-----------|--------------|
| S5204-365EP | LW 365mm | EPDM, purple (Quality: 128.60              | 5204/01-2 |              |
| S5204-365NR | LW 365mm | Natural Rubber, dark red (Quality: 230.50) | 5204/02-1 |              |
| S5204-365PE | LW 365mm | Perbunan (NBR), red (Quality: 429.65)      | 5204/04-1 |              |

## Mould 5257



| Article No.      | Size      | Quality                               | SBG No.   | Price in EUR |
|------------------|-----------|---------------------------------------|-----------|--------------|
| S5257NR-PFAUDLER |           | Perbunan (NBR), red (Quality: 429.65) | 5257/02-1 |              |
| S5257-385PE      | LW 385 mm | Perbunan (NBR), red (Quality: 429.65) | 5257/04-1 |              |

\*Price and delivery time on request, minimum order quantity 25 pieces



Stand: Juni 2015

Tel. +49(0)7663-6088-0  
Fax +49(0)7663-6088-88  
info@zimmerlin.de  
www.zimmerlin.de

**Zimmerlin GmbH**  
Edelstahl-Technik  
Frohmatenstr. 19  
D-79268 Bötzingen

